

Item No. 07

Court No. 1

**BEFORE THE NATIONAL GREEN TRIBUNAL  
PRINCIPAL BENCH, NEW DELHI**

(By Video Conferencing)

Original Application No. 604/2022

Surender Kumar

Applicant

Versus

Mohan Bakers & Ors.

Respondent(s)

Date of hearing: 07.11.2022

**CORAM: HON'BLE MR. JUSTICE ADARSH KUMAR GOEL, CHAIRPERSON  
HON'BLE MR. JUSTICE SUDHIR AGARWAL, JUDICIAL MEMBER  
HON'BLE PROF. A. SENTHIL VEL, EXPERT MEMBER**

Applicant: Mr. Aman, Advocate

**ORDER**

1. Grievance in this application is against operation of bakery by Respondent no. 1, Mohan Bakers, at 6/67 Geeta Colony, East Delhi, Delhi – 110031, in violation of environmental norms.

2. According to the applicant, the unit is causing pollution and does not have requisite consents. Earlier, the Tribunal vide order dated 02.02.2016 in O.A. No. 513/2015 directed closure of the unit. Thereafter, vide order dated 25.06.2020 in O.A. No. 45/2020, the matter was disposed of in view of report of the DPCC that the Bakery unit is only selling bakery products and not carrying out any polluting activity.

3. In the present application, the applicant alleged that after the earlier order, machinery and DG set have been set up by the PP, as

shown by the photographs annexed to the application and that there is violation of environment norms.

4. Vide order dated 02.09.2022, the Tribunal sought a factual report from DPCC and SDM East Delhi. Accordingly, report dated 28.10.2022 has been filed as follows:-

*“2. That, in compliance of the above orders a Joint Team Comprising of officials of DPCC and Sub-Divisional Magistrate (Gandhi Nagar) carried out an inspection of the premises on 15.09.2022. The teams observed as follow:-*

- Unit found operational and engaged in activity of manufacturing of Bakery Products i.e. Cakes, Paties, Pastry, Sandwiches, Rusk, Kulcha etc.*
- Unit has installed Oil and Grease Trap-cum-Settling Tank (03 Chambers) for treating the waste water generated in the process and same found operational.*
- The oven and stove are PNG fired, no visible Pollution observed on observation of machines and oven.*
- Sample of treated water was collected from OGT of the Unit by DPCC Laboratory for testing analysis.*
- No DG Set was observed at the said premises.*
- Chimney followed by stack attached with oven.*
- Unit is having Consent under Air and Water Acts for the activity of manufacturing of dairy products valid upto 12.08.2025.*
- During the inspection, Unit produced the bills of Indraprastha Gas Limited and BSES Yamuna Power Limited to establish the fact that Unit is using PNG and electricity as a fuel.*
- Further, during the inspection, the Unit also produced "Municipal Corporation of Delhi" license for the activity of manufacturing of "biscuit, pappey, cakes and cookies making/ 15HP". In the licence land owning agency mentioned that the premise is in "Local Commercial Category",*

*Copy of the inspection report dated 15.09.2022 alongwith MCD licence, PNG Bills, Electricity Bills and photographs are collectively enclosed herewith as **ANNEXURE-1**(Colly).*

*3. That effluent analysis of water sample was found within the prescribed standards. Copy of Water Testing Report is enclosed herewith as ANNEXURE-2. Further, noise Monitoring of the premises was also carried out, results shows that same was within the prescribed standards. Copy of Noise Monitoring Report is enclosed herewith as **ANNEXURE-3**.*

4. *That, the unit is working with Consent to Operate issued by DPCC, which is valid upto 12.08.2025. Copy of the Consent to Operate is enclosed herewith as **Annexure-4.***”

5. There is nothing to rebut the stand in the above report. Thus, no further action appears to be necessary.

The application is disposed of.

Adarsh Kumar Goel, CP

Sudhir Agarwal, JM

Prof. A. Senthil Vel, EM

November 07, 2022

O.A. No. 604/2022

A