

Item No.3 & 4

**BEFORE THE NATIONAL GREEN TRIBUNAL
CENTRAL ZONE BENCH, BHOPAL**
(Through Video Conferencing)

Original Application No.143/2023(CZ)

Sarwar Khan

Applicant

Vs.

State of Rajasthan &Ors.

Respondents

WITH

Original Application No.144/2023(CZ)

Sarwar Khan

Applicant

Vs.

State of Rajasthan &Ors.

Respondents

Date of Hearing: 30.01.2024

**CORAM: HON'BLE MR.JUSTICE PRAKASH SHRIVASTAVA, CHAIRPERSON
HON'BLE MR. JUSTICE SHEO KUMAR SINGH, JUDICIAL MEMBER
HON'BLE DR. A SENTHIL VEL EXPERT MEMBER**

For Applicant(s): Mr. Sarwar Khan (Applicant in person)

For Respondent(s): Mr. Nishant Kesharwani, Adv. for
Mr. Shoeb H. Khan, Adv. for State of Rajasthan

ORDER

O.A. No. 144/2023 (CZ)

1. In this Original Application, registered on the basis of letter petition, the grievance raised by the applicant is that the STP set up by the Municipal Corporation Didwana is not functioning properly and is discharging untreated water and sewage water in the open area, turning a big chunk of land into pond of waste water which is damaging crop, agriculture fields and causing health hazardous as also contaminating the ground water. As per the allegation, discharged untreated water, waste water/sewage water is reaching Kharia Talab, Singh Talab, Beni Talab and Kachaulia Talab, thereby, contaminating the water of these Talabs

and causing further health hazardous. There is also an allegation of encroachment on the pond by throwing and dumping garbage in the pond.

2. The Tribunal by order dated 16.10.2023 had constituted the Joint Committee and directed the committee to visit the site and examine the facts and take remedial measures and submit factual and action taken report.
3. In pursuance to the direction of the Tribunal the Joint Committee has submitted the report dated 12.12.2023.
4. The Applicant present in person seeks three weeks' time to file objection to the report.

Original Application No. 143/2023

5. In this Original Application the grievance of the applicant is as against the Didwana Municipal Council and the allegation is that Khasra no. 1920 area approximately 28 begha 9 biswa is being used by the Municipal Council as dumping site of garbage, plastic bags, dead animals by destroying the green belt resulting into health hazards.
6. Considering the grievance, Tribunal by order dated 16.10.2023 had directed issuance of notice, hence following respondents have been impleaded in the matter, who are already served in pursuance to the previous order :-
 1. State of Rajasthan through Secretary, Department of Environment, Rajasthan
 2. District Magistrate, Didwana.
 3. Rajasthan State Pollution Control Board, through Member Secretary
 4. Municipal Corporation, through Municipal Commissioner, Didwana, Rajasthan
 5. DFO, Didwana, Rajasthan
7. The Tribunal by the proceeding dated 16.10.2023 had constituted a four members joint committee with the direction to the committee to visit the place and examine the facts and take remedial measures and submit factual and

action taken report. In pursuance to the direction issued by the Tribunal the joint committee has submitted the report and its finding are as under:-

माननीय राष्ट्रीय हरित प्राधिकरण के ओ.ए. संख्या 143/2023 सरवर खां बनाम स्टेट ऑफ राजस्थान के आदेश दिनांक 16.10.2023 की अनुपालना में गठित कमेटी द्वारा डम्पिंग साईट, नगर परिषद् डीडवाना का निरीक्षण दिनांक 12.12.2023 को किया गया। निरीक्षण के दौरान श्री श्योगम वर्मा, अतिरिक्त जिला कलक्टर डीडवाना-कुचामन, श्री ज्ञानचन्द, जिला वन अधिकारी, डीडवाना-कुचामन, श्रीमती सविता, क्षेत्रीय अधिकारी राजस्थान राज्य प्रदूषण नियंत्रण मण्डल, नागौर एवं श्री रोहित कुमार मील, आयुक्त नगर परिषद् डीडवाना मौजूद रहें। वर्तमान स्थिति की बिन्दुवार मौका रिपोर्ट निम्नानुसार है :-

01:- श्रीमान जिला कलक्टर महोदय नागौर के आदेश क्रमांक 3117 दिनांक 17.09.2019 के द्वारा राजस्व ग्राम- डीडवाना के खसरा नम्बर 1920 रकबा 28.09 बीघा किस्म गै.मु. ठोस कचरा निष्पादन हेतु नगर पालिका डीडवाना को आवंटित की गई हैं। नगर परिषद् द्वारा उक्त आवंटित भूमि पर चारदिवारी व वायर फेंसिंग कर ठोस कचरा प्रबन्धन का कार्य संचालित किया जा रहा है।

02 :- निरीक्षण के दौरान देखा गया कि डम्पिंग यार्ड पर एक टीन शेड बना हुआ है तथा एक कम्पोसटिंग मशीन स्थापित है। कम्पोसटिंग मशीन संचालित नहीं पाई गई।

03 :- डम्पिंग यार्ड में एस.डब्ल्यू एम. नियम 2016 के तहत एम.आर.एफ. सेन्टर हेतु किसी प्रकार मशीन स्थापित नहीं की गई है, केवल कम्पोसटिंग मशीन स्थापित की गई है। आयुक्त नगर परिषद् डीडवाना द्वारा बताया गया कि फटका मशीन, बेलिंग एवं श्रेडिंग मशीन क्रय कर लिया गया है तथा जल्द ही साईट पर स्थापित कर दी जायेगी।

04 :- डम्पिंग यार्ड के सामने औद्योगिक क्षेत्र स्थित है तथा डम्पिंग यार्ड के बाहर की तरफ प्लास्टिक की थैलिया इधर-उधर फैली हुई पाई गयीं।

05 :- डम्पिंग यार्ड पर किसी प्रकार की पृथक्करण की व्यवस्था नहीं पाई गयी, परन्तु आयुक्त नगर परिषद् डीडवाना द्वारा बताया गया कि कचरा बीनने के लिये 10-15 लोग प्रतिदिन मैन्यूअली कचरे (पॉलिथिन, प्लास्टिक, मेटल, कार्ड-बोर्ड आदि) का पृथक् कर स्वयं ले जाते हैं।

06 :- डम्पिंग यार्ड पर जिस प्रकार से कचरा निस्तारित किया गया है उससे यह अनुमान लगाना मुश्किल है कि कचरा औद्योगिक क्षेत्र द्वारा डाला जाता है तथा डीडवाना औद्योगिक क्षेत्र पूर्णतया विकसित नहीं है। यहां पर प्लास्टिक पाईप, आटा चक्की, खल बनाने आदि की छोटी इकाईयां संचालित है।

07 :- डम्पिंग यार्ड के आस-पास कोई वन क्षेत्र स्थित नहीं है। वन विभाग द्वारा ग्राम पंचायत सूपका की गौचर भूमि पर 12 हैक्टेयर में 6000 पौधों का वृक्षारोपण किया गया था। जिसका वन विभाग द्वारा दिनांक 18.12.2015 को ग्राम पंचायत सूपका को हस्तान्तरित कर दिया गया था।

8. The report reveals that in the dumping yard, though a composting machine has been set up but it is not functioning and in MRF centre no machine has been set up. It further reveals that during the inspection outside the dumping yard, plastic bags were found to be scattered and there was no system of separation of waste in the dumping yard.
9. The Respondent no. 4 CEO Municipal Council, Didwana and Respondent no. 3 Member Secretary, Rajasthan PCB are required to take appropriate action to ensure that the above lapses/non-compliances noted by the joint committee are duly cured/remediated. Hence Respondent no. 3 and 4 are directed to file their action taken report at least one week before the next date of hearing.

List it on **05th March, 2024.**

Prakash Shrivastava, CP

Sheo Kumar Singh, JM

Dr. A SenthilVel, EM

30th January, 2024
O.A No. 143/2023(CZ) and 144/2023 (CZ)
K.